Code: ESC-201 (100303)

B.Tech 3rd Semester Special Exam., 2020

(New Course)

BASIC ELECTRONIC ENGINEERING

Time: 3 hours

Full Marks: 70

Instructions:

- (i) The marks are indicated in the right-hand margin.
- (ii) There are NINE questions in this paper.
- (iii) Attempt FIVE questions in all.
- (iv) Question No. 1 is compulsory.
- 1. Choose the correct answer of the following (any seven): $2 \times 7 = 14$
 - (a) In amplitude modulation, what property of carrier varies with the strength of the modulating signal?
 - Amplitude
 - (ii) Frequency
 - (iii) Phase
 - (iv) None of the above


(Turn Over)

- (b) The use of negative feedback
 - (i) reduces the voltage gain of an OP-AMP
 - (ii) makes the OP-AMP oscillate
 - (iii) makes linear operation possible
 - (iv) Both (i) and (iii)
- The given Boolean expression is $Y = A\overline{B} + B\overline{A}$. If A = 1 and B = 1, then Y =
 - (i) 1
 - (ii) 0
 - (iii) Either 1 or 0
 - (iv) None of the above
- The binary number 10101 is equivalent to the decimal number
 - (i) 19
 - (ii) 12
 - (iii) 27
 - (iv) 21
- The universal gate is
 - 10 NAND gate
 - (ii) OR gate
 - (iii) NOT gate
 - (iv) None of the above

(f)	If the PIV rating of a diode is exceeded
	(v) the diode conducts poorly
	(ii) the diode is destroyed
	(iii) the diode behaves as Zener diode
	(nu) None of the above
(g)	A diode is a
	non-linear device
	(ii) bilateral device
	(iii) linear device
	(w) None of the above
· (h)	A series resistance is connected in the Zener circuit to
	(i) properly reverse bias the Zener
	(ii) protect the Zener
	(iii) properly forward bias the Zener
	(iv) None of the above
Ø	In a p-n-p transistor, the current carriers are
	(i) acceptor ions
	(ii) donor ions
	(iii) free electrons
	first holes
AK/1	1291 (Turn Over


(j)	The emitter of a transistor is	
	(i) lightly doped	
,	(ii) heavily doped	
	(iii) moderately doped	
	(iv) None of the above	
2 . (g)	Derive the expression of efficiency for a full-wave bridge rectifier.	7
(b)	Describe the operations of capacitor and choke input filter.	7
3. (a)	Explain the working of BJT as an amplifier.	7
,(b)	How will you draw d.c. load line on the output characteristics of a transistor? What is its importance?	7
4. (a)	Derive the expression of frequency of oscillation for Wien bridge oscillator.	8
(b)	Explain the operation of IC-555 as monostable multivibrator using proper diagram.	
5 . (a)	What are the merits and limitations of FM?	6 7
- (b)	Describe cellular concept in GSM system.	7
OAK/1291 (Continued)		

- 6. (a) Realize the following function with the help of NAND gates:
 F(A, B, C, D) = Σm(0, 1, 4, 12) + d(2, 3, 8)
 - (b) Draw a full-adder circuit and explain its operation.
- 7. (a) Design a comparator that has the following transfer characteristics. You have available resistor, d.c. power supplies and OP-AMP for your design:



- (b) Derive the gain expression of an integrator and a differentiator using OP-AMP.
- **8.** (a) Convert J-K flip-flop into D flip-flop. Explain with the help of excitation table, characteristic equation and block diagram.
 - (b) Explain the operation of shift register and differentiate between left-shift register and right-shift register.

9. (a) In the circuit shown below, the voltage across the load is to be maintained at 12 V as load current varies from 0 to 200 mA. Design the regulator. Also find the maximum wattage rating of the Zener diode:



(b) Explain the block diagram of regulated power supply.

* * *

8

6

8

6

8

6

8

6