Code: 100104

B.Tech 1st Semester Exam., 2018 (New)

PROGRAMMING FOR PROBLEM SOLVING

Time: 3 hours

Full Marks: 70

Instructions:

- (i) All questions carry equal marks.
- (ii) There are NINE questions in this paper.
- (iii) Attempt FIVE questions in all.
- (iv) Question No. 1 is compulsory.
- 1. Choose the correct answer (any seven) :
 - (a) Which of these, best describes an array?
 - (i) A data structure that shows a hierarchical behaviour
 - (ii) Container of objects of similar types
 - (iii) Container of objects of mixed types
 - (iv) All of the above

(2)

- (b) How do you initialize an array in C?
 - (i) int arr[3] = (1,2,3);
 - (ii) int $arr(3) = \{1,2,3\};$
 - (iii) int arr[3] = {1,2,3};
 - (iv) int arr(3) = (1,2,3);
- (c) When does the segmentation fault occur?
 - (i) Compile-time
 - (ii) Run-time
 - (iii) Both of the above
 - (iv) None of the above
- (d) What is the output of the following program?

```
void main(){
    int a;
    a=1;
    while(a<=1)
    if(a%2)
    printf("%d", a++);
    else</pre>
```

```
(3)
```

```
(4)
```

```
printf("%d", ++a);
     printf("%d", a+10);
 (i) 011
(ii) 012
(iii) 111
(iv) 112
What is the output of the following code?
void main()
     int i;
     i=0;
     if(i=15,10,5)
             printf("Programming %d",i);
     else
            printf("Skills %d",i);
     getch ();
   Skills 15
(ii) Programming 5
(iii) Programming 15
(iv) Skills 5
```

```
What will be printed as the result of the
            operation below?
            main()
               char s1[]="Cisco"
               char s2[]="systems";
               printf ("%s", s1);
               System
            (ii) error
           (iii) Cisco
           (iv) Compilation fail
           Process of inserting an element in stack is
           called
            (i) create
           (ii) push
           (iii) evaluation
           (iv) Pop
          Consider the following segment of C-code:
          int j, n;
          j=1;
          while (j<=n)
              j=j*2;
AK9/454
```

The number of comparisons made in the execution of the loop for any n>0 is: (Base of log is 2 in all options)

```
(i) CEIL(log n)
```

- (ii) CEIL(log n)+2
- (iii) FLOOR(log n)+2
- (iv) n
- (i) The minimum number of comparisons required to find the minimum and the maximum of 100 numbers is
 - (i) 100
 - (ii) 200
 - (iii) 150
 - (iv) 148
- (i) What is the output of following program?

#include <stdio.h> http://www.akubihar.com in main()

```
int a=1;
int b=1;
int c=a || --b;
int d=a--&& --b;
```

(Turn Over)

```
printf("a=%d, b=%d, c=%d, d=%d", #, h, c, d); , return 0; }

(i) a = 0, b = 1, c = 1, d = 0

(ii) a = 0, b = 0, c = 1, d = 0

(iii) a = 1, b = 1, c = 1, d = 1

(iv) a = 0, h = 0, c = 0, d = 0
```

- How array and pointers are related? Explain with the help of suitable diagrams.
- (a) Write a C program to count the number lines input by the user.
 - (b) Explain the difference between call by reference and call by value with the help of a suitable example.
- With the help of an example, differentiate between static and dynamic memory allocations.
- What are library functions and their uses in C language? Can we write our own functions and include them in C library?

- 6. Write a "recursive" C program to print-
 - (a) Fibonacci series;
 - (b) factorial of a given number.
- Write the differences between structure and union. Compare them with the help of an example.
- 8. Write a C program to convert an infix expression into postfix expression. In particular, an infix expression: (1-2) * (4+5) will have postfix expression: 12-45 + *.
- Write a C program to illustrate reading of data from a file.

Code: 100104